

AD-A128 585


ADAPTATION OF FLUX-CORRECTED TRANSPORT ALGORITHMS FOR  
MODELLING BLAST WAVES(U) NAVAL RESEARCH LAB WASHINGTON  
DC D L BOOK ET AL. 12 OCT 82 NRL-MR-4914

1/1

UNCLASSIFIED

F/G 20/4


NL



END

FILMED

PRINT



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

**DD FORM 1 JAN 73 1473** EDITION OF 1 NOV 68 IS OBSOLETE  
S/N 0102-014-6601

**SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)**

18. Supplementary Notes (Continued)

\*Present address: Science Applications Inc., McLean, VA.

\*\*Present address: JAYCOR, Alexandria, VA.

†Present address: R&D Associates, Marina del Rey, CA.

Accession For	
NTIS GRAFILE	
DTIC TAB	
Unannounced	
Justification	
By	
Distribution/	
Availability Class	
Dist	Available
	Special

A



## ADAPTATION OF FLUX-CORRECTED TRANSPORT ALGORITHMS FOR MODELLING BLAST WAVES

Blast wave phenomena include reactive and two-phase flows associated with the motion of chemical explosion products; the propagation of shocks, rarefaction waves, and contact discontinuities through a nonideal medium (real air, possibly thermally stratified and containing dust and water vapor); and the interaction of the blast waves (including boundary layer effects) with structural surfaces. Flux-Corrected Transport (FCT) represents an accurate and flexible class of methods for solving such nonsteady compressible flow problems (Boris and Book, 1976). Coupled with a nondiffusive adaptive gridding scheme (Book, et al., 1980; Fry, et al., 1981), it enables complex time-dependent shocks to be efficiently "captured."

In models which treat all the physical effects required for blast wave simulation, truncation errors inherent in the underlying finite-difference scheme are exacerbated by nonlinear coupling between the fluid equations and by the greater complexity of the phenomena being simulated. Typical of these errors are the "terraces" which develop under some circumstances on the flanks of sloping profiles when the growth of ripples due to phase errors at short length scales is terminated by the action of the flux limiter. Two approaches are possible toward eliminating them: improving the short-wavelength phase and amplitude properties of the underlying algorithm, and switching on additional diffusion locally. The latter approach folds information about the shape of the profile and the nature of the physical process taking place (e.g., rarefaction) into the switch criterion, thus changing the FCT technique from a "convective equation solver" to a "fluid system solver." In doing this, care must be taken to avoid losing the accuracy, robustness and problem-independence which constitute valuable attributes of FCT algorithms (Book, et al., 1981).

Tests carried out on scalar advection of simple density profiles by a uniform flow field show that terracing does not require either diverging velocities or discontinuities in the profile, but appears typically (for  $v > 0$ ) where the first and second derivatives of density have the same sign (Fig.1). In order to improve the properties of the basic difference scheme, we propose a new algorithm for integrating generalized continuity equations over a timestep  $\delta t$ . Consider the following three-point transport scheme:

$$\rho_j^o = \rho_j^o - n(\rho_{j+1}^o - \rho_{j-1}^o) + \kappa(\rho_{j+1}^o - 2\rho_j^o + \rho_{j-1}^o);$$

$$\bar{\rho}_j = \hat{\rho}_j - \theta(\rho_{j+1}^o - \rho_{j-1}^o) + \lambda(\rho_{j+1}^o - 2\rho_j^o + \rho_{j-1}^o);$$

$$\rho_j^n = \bar{\rho}_j - \mu(\phi_{j+1/2} - \phi_{j-1/2}),$$

where

$$\phi_{j+1/2} = \hat{\rho}_{j+1} - \hat{\rho}_j.$$

The arrays  $\{\rho_j^0\}$  and  $\{\rho_j^n\}$  are the old and new densities,  $\tilde{\rho}_j$  and  $\bar{\rho}_j$  are temporary intermediate densities, and  $n$ ,  $\theta$ ,  $\kappa$ ,  $\lambda$ , and  $\mu$  are velocity-dependent coefficients. Here  $\kappa$  and  $\lambda$  are diffusion coefficients, and  $\mu$  is the antidiiffusion coefficient. In the actual algorithm,  $\phi_{j+1/2}^c$  is corrected (hence the name FCT) to a value  $\phi_{j+1/2}^c$  chosen so no extrema in  $\bar{\rho}_j$  can be enhanced or new ones introduced in  $\rho_j$ . Previous FCT algorithms had  $\theta = 0$ ; the widely used ETBFCT and related algorithms (Boris, 1976) have in addition  $\kappa = 0$ . If we define  $\rho_j$  to be sinusoidal with wave number  $k$  on a mesh with uniform spacing  $\delta x$ , so that  $\rho_j^0 = \exp(ij\beta)$  where  $\beta = k\delta x$ , then the new density array satisfies

$$\frac{\rho_j^n}{\rho_j^0} = A = 1 - 2i(n+\theta)\sin\beta + 2(\kappa+\lambda)(\cos\beta-1) \\ - 2\mu(\cos\beta-1)[1 - 2i\sin\beta + 2\kappa(\cos\beta-1)].$$

From A we can determine the amplification  $a = A$  and relative phase error  $R = (1/\epsilon\beta)\tan^{-1}(-\text{Im}A/\text{Re}A)-1$ , where  $\epsilon = v\delta t/\delta x$  is the Courant number.

Expanding in powers of  $\beta$  we find

$$a = 1 + a_2\beta^2 + a_4\beta^4 + a_6\beta^6 + \dots ;$$

$$R = R_0 + R_2\beta^2 + R_4\beta^4 + R_6\beta^6 + \dots .$$

First-order accuracy entails making  $R_0$  vanish, which requires that  $n + \theta = \epsilon/2$ . Second-order accuracy ( $a_2 = 0$ ) implies that  $\mu = \kappa + \lambda - \epsilon^2/2$ . Analogously, the "reduced-phase-error" property  $R_2 = 0$  (Boris and Book, 1976) determines  $\mu = (1-\epsilon^2)/6$ , thus leaving two free parameters. One of these can be used to make  $R_4$  vanish also. The resulting phase error  $R(\beta)$  is small not only as  $\beta \rightarrow 0$ , but also for larger values of  $\beta$ , corresponding to the short wavelengths responsible for terraces (Fig. 2). The remaining parameter  $n$  can be chosen to relax the Courant number restriction needed to ensure positivity from  $\epsilon < 1/2$  to  $\epsilon < 1$ . When coded, these changes necessitate a small increase in the operation count of ETBFCT along with a small increase in overhead to precalculate the two new arrays of velocity-dependent transport coefficients. On advection tests, the new algorithm completely eliminated terraces (Fig. 3). When applied to the coupled systems of gas dynamic equations, it produced profiles which closely approximate the Riemann solution of the exploding diaphragm problem (Fig. 4).

The second approach uses a rarefaction flux limiter (RFL) to eliminate numerical ripples in strong rarefaction waves. This approach is physically motivated. Raw anti-diffusive fluxes  $\phi_{j+1/2}$  are limited so that the slope of local flow field profiles decays with time in a rarefaction wave. In effect, additional diffusion is left in the field to maintain monotonicity of local slopes. For multi-material calculations a "contact surface sensor" is needed to detect physical discontinuities and shut off the RFL locally.

In addition we found that some care was required when applying generalized continuity equation solvers to a system of equations. Truncation errors of the various equations can interact, causing undershoots or overshoots in nonconvective quantities such as pressure. We found that it was necessary to monotonize derived quantities (pressure, velocity) before using them in minimal-diffusion transport algorithms.

The above methodology has been applied to a series of test problems initiated by a spherical high-explosive (HE) detonation in air. An ideal Chapman-Jouguet detonation was used to specify the initial conditions; afterburning was neglected. In the absence of reflecting surfaces, spherical symmetry is maintained and the calculation remains one-dimensional. A nonuniform radial grid was used with extremely fine zoning near the shock front. The grid was moved so that the shock remained approximately fixed with respect to the mesh. The original version of the FCT algorithm gave rise to pronounced terraces in the rarefaction region. This would have rendered any two-dimensional calculation involving shock diffraction or nonideal effects dubious. The techniques described here improved the blast wave results considerably. The decrease in phase error reduced terracing dramatically.

Next, a two-dimensional (2D) numerical calculation was performed to simulate one of Carpenter's (1974) height-of-burst experiments which used spherical 8-lb. charges of PBX 9404 at 51.6 cm. The previous fine-zoned 1D calculation was used to initialize the problem. It was mapped onto the 2D grid just prior to the onset of reflection. The solution was then advanced in time, with pressure being calculated from a real-air equation of state and a JWL equation of state for the combustion products. The front of the blast wave was captured in a finely gridded region which moved outward horizontally. Special care was taken to ensure that the grid moved smoothly. The resulting solution, particularly the curve of peak overpressure vs. range, was consistent with Carpenter's experimental data (Fig. 8). Although this calculation represents a reasonable accurate simulation of the double-Mach-stem region, no doubt improvements can and will be made to numerically model such phenomena.

#### References

Book, D., Boris, J., Kuhl, A., Oran, E., Picone, M., and Zalesak, S., Seventh International Conf. on Num. Methods in Fluid Dynamics, Stanford (1980). W. C. Reynolds and R. W. MacCormack, eds. p. 84.


Book, D., Boris, J., and Zalesak, S., in Finite-Difference Techniques for Vectorized Fluid Dynamics Calculations, D. Book, Ed. (Springer-Verlag, New York, 1981).

Boris, J., "Flux-Corrected Transport Modules for Solving Generalized Continuity Equations," NRL Memorandum Report 3237 (1976).


Boris, J.P., and Book, D.L., in Methods in Computational Physics, J. Killeen, Ed., (Academic Press, New York, 1976) Vol. 16, p. 85.

Carpenter, H.J., Proc. Fourth International Symp. on Military Applications of Blast Simulation (1974).

Fry, M., Tittsworth, J., Kuhl, A., Book, D., Boris, J., and Picone, M., "Shock Capturing Using Flux-Corrected Transport Algorithms with Adaptive Gridding," NRL Memorandum Report 4629 (1981).



(a)



(b)

Fig. 1 — Rounded half circle used in passive scalar advection tests (a) initially, and (b) after propagation for 14 cycles using JPBFCCT. Note that terraces form even, as here, in the absence of corners in the profile. Tick marks indicate computational zones ( $N = 100$ ).

MULTICOEFFICIENT

REL. PHASE




Fig. 2—Contour plot of  $R(\beta, \epsilon)$  for new multicoefficient FCT algorithm.  
Note  $R \approx 0$  except for  $\beta \geq 3\pi/2$ . The relative phase error vanishes exactly for  $\epsilon = 1/2$  and  $\epsilon = 1$ .





Fig. 3 — (a) Blowup of Fig. 1(a) (dashed line) compared with (b) same profile as computed using new sixth order-phase-accurate FCT algorithm. Solid traces are exact solutions.





Fig. 4 — (a) Exact and (b) computed solution of exploding diaphragm problem  
(10-to-1 initial density jump, 100-to-1 initial pressure jump)




Fig. 5 — One-dimensional solution of expanding HE products and air calculated with the new algorithm using 500 equally spaced zones. Note contact surface separating HE products from air.




Fig. 6 — Adaptive grid for height-of-burst problem shown (a) initially and  
(b) at time when transition to Mach reflection occurs




Fig. 7 — Pressure-time histories directly beneath burst site. Note second peak, associated with interaction between shock reflected from ground and following contact surface.

HE - AIR JPBFC

ST =  $3.60 \cdot 10^{-1}$




Fig. 8 — Computed peak overpressure vs distance along ground surface.  
Broken curve represents Carpenter's (1974) data.

## DISTRIBUTION LIST

ASSISTANT TO THE SECRETARY OF DEFENSE  
(ATOMIC ENERGY)  
WASHINGTON, DC 20301  
01CY ATTN EXECUTIVE ASSISTANT

DIRECTOR  
DEFENSE COMMUNICATIONS AGENCY  
WASHINGTON, DC 20305  
(ADR CWDI: ATTN CCDE 240 FCR)  
01CY ATTN CODE 570 R LIPP

DIRECTOR  
DEFENSE INTELLIGENCE AGENCY  
WASHINGTON, DC 20301  
01CY ATTN PDS-3A (TECH LIB)  
01CY ATTN DB-4N  
01CY ATTN DT-1C  
01CY ATTN DT-2  
01CY ATTN DB 4C E FARRELL

DIRECTOR  
DEFENSE NUCLEAR AGENCY  
WASHINGTON, DC 20305  
02CY ATTN SPSS  
01CY ATTN SPSS G ULLRICH  
01CY ATTN SPSS T DEEVY  
04CY ATTN TITL

DEFENSE TECHNICAL INFORMATION CENTER  
CAMERON STATION  
ALEXANDRIA, VA 22314  
(12 IF OPEN PUB, OTHERWISE 2 - NO MNFL)  
2CY ATTN DD

CHAIRMAN  
DEPARTMENT OF DEFENSE EXPLO SAFETY BOARD  
HOFFMAN BLDG 1, PM E56-C  
2461 EISENHOWER AVENUE  
ALEXANDRIA, VA 22314  
01CY ATTN CHAIRMAN

COMMANDER  
FIELD COMMAND  
DEFENSE NUCLEAR AGENCY  
KIRTLAND AFB, NM 87115  
O1CY ATTN FCTMOF  
O1CY ATTN FCT  
O1CY ATTN FCPR  
O1CY ATTN FCTT

CHIEF  
FIELD COMMAND  
DEFENSE NUCLEAR AGENCY  
LIVERMORE BRANCH  
P O BOX 998 L-317  
LIVERMORE, CA 94550  
O1CY ATTN FCPR

DIRECTOR  
JOINT STRAT TGT PLANNING STAFF  
OFFUTT AFB  
OMAHA, NB 68113  
O1CY ATTN JLA  
O1CY ATTN DOXT  
O1CY ATTN XPF  
O1CY ATTN NRI-ST INFO LIBRARY  
O1CY ATTN JLTH-2

COMMANDANT  
NATO SCHOOL (SHAPE)  
APC NEW YORK C9172  
O1CY ATTN II S DOCUMENTS OFFICER

UNDER SECY OF DEF FOR PSCH & ENGRG  
DEPARTMENT OF DEFENSE  
WASHINGTON, DC 20301  
O1CY ATTN STRATEGIC & SPACE SYS (CS) RM 3E129

DIRECTOR  
BMD ADVANCED TECHNOLOGY CENTER  
DEPARTMENT OF THE ARMY  
P O BOX 1500  
HUNTSVILLE, AL 35807  
O1CY ATTN ATC-T  
O1CY ATTN 1CRDASH-X  
O1CY ATTN ATC-T

COMMANDER  
BMD SYSTEMS COMMAND  
DEPARTMENT OF THE ARMY  
P O BOX 1500  
HUNTSVILLE, AL 35807  
OICY ATTN BMDSC-FW  
OICY ATTN BMDSC-HK R DEKALB  
OICY ATTN BMDSC-H N HURST  
OICY ATTN BMDSC-R C WEBB

CHIEF OF ENGINEERS  
DEPARTMENT OF THE ARMY  
FORRESTAL BUILDING  
WASHINGTON, DC 20314  
OICY ATTN DAEN-MCE-D  
OICY ATTN DAEN-RDL  
OICY ATTN DAEN-MPE-T D REYNOLDS

DEP CH OF STAFF FOR CPS & PLANS  
DEPARTMENT OF THE ARMY  
WASHINGTON, DC 20310  
OICY ATTN DAMC-NC

COMMANDER  
HARRY DIAMOND LABORATORIES  
DEPARTMENT OF THE ARMY  
2800 POWDER MILL ROAD  
ADELPHI, MD 20783  
(CNWDI- INNEP FNVELCPF: ATTN: DELHD-RBH FOR)  
OICY ATTN DELHD-I-TL (TFCH LIB)  
OICY ATTN CHIEF DIV 20000

COMMANDER  
U S ARMY ARMAMENT MATERIAL READINESS COMMAND  
ROCK ISLAND, IL 61202  
OICY ATTN MA LIBRARY

DIRECTOR  
U S ARMY BALLISTIC RESEARCH LABS  
ABERDEEN PROVING GROUND, MD 21005  
OICY ATTN DRDAR-BLV  
OICY ATTN DRDAR-BLT J KEEFFR  
OICY ATTN DRDAP-TSP-S (TFCH LIB)

COMMANDER AND DIRECTOR  
U S ARMY CCID REGION FES ENGP LAB  
P O BOX 282  
HANOVER, NH 03755  
OICY ATTN LIBRARY

COMMANDER  
U S ARMY CONCEPTS ANALYSIS AGENCY  
9120 MCGOWAN AVENUE  
BETHESDA, MD 20014  
OICY ATTN CSSA-ADL (TECH LT3)

DIRECTOR  
U S ARMY CONSTRUCTION ENGRG RES LAB  
P O BOX 4905  
CHAMPAIGN, IL 61820  
OICY ATTN LIBRARY

COMMANDER  
U S ARMY ENGINEER CENTER  
FORT BELVOIR, VA 22060  
OICY ATTN TECHNICAL LIBRARY  
OICY ATTN ATZA

DIVISION ENGINEER  
U S ARMY ENGINEER DIV HUNTSVILLE  
P O BOX 1600, WEST STATION  
HUNTSVILLE, AL 35807  
OICY ATTN HNDED-SR  
OICY ATTN HNDED-FD

DIRECTOR  
U S ARMY ENGR WATERWAYS EXPT STATION  
P O BOX 631  
VICKSBURG, MS 39180  
OICY ATTN J ZELASKE  
OICY ATTN WESSO J JACKSON  
OICY ATTN J STRANGE  
OICY ATTN WESSE L INGRAM  
OICY ATTN LIBRARY  
OICY ATTN WESSA W FLATHAU

COMMANDER  
U S ARMY FOREIGN SCIENCE & TECH CTR  
220 7TH STREET, NE  
CHARLOTTESVILLE, VA 22901  
OICY ATTN DRXST-SC

COMMANDER  
U S ARMY MATERIAL & MECHANICS RSCH CTR  
WATERTOWN, MA 02172  
(ADDRESS CNWDI: ATTN: DOCUMENT CONTROL FOR:  
OICY ATTN TECHNICAL LIBRARY  
OICY ATTN DRXMR-TE R SHEA  
OICY ATTN DRXMR J MECALL

**COMMANDER**

U S ARMY MATERIAL DEV & READINESS CMD

5001 EISENHOWER AVENUE

ALEXANDRIA, VA 22332

OICY ATTN DRCDE-D L FLYNN

OICY ATTN DRYAM-TL (TECH LIB) UNCL ONLY

**COMMANDER**

U S ARMY MISSILE COMMAND

REDSTONE ARSENAL, AL 35988

OICY ATTN PSIC

OICY ATTN DRDVI-XS

**COMMANDER**

U S ARMY MOBILITY ECLIP R&D CMD

FORT BELVOIR, VA 22060

(CNWDT TO APMY MAT DEV & READINESSS COMMAND)

OICY ATTN DRDME-LC (TECH LIB)

**COMMANDER**

U S ARMY NUCLEAR & CHEMICAL AGENCY

7500 BACKLICK ROAD

BUILDING 2073

SPRINGFIELD, VA 22150

(DESRIES ONLY 1 CY TO LIBRARY)

OICY ATTN J SIMMS

OICY ATTN LIBRARY

**COMMANDANT**

U S ARMY WAR COLLEGE

CARLISLE BARRACKS, PA 17013

OICY ATTN LIBRARY

**COMMANDER**

DAVID TAYLOR NAVAL SHIP R & D CTR

BETHESDA, MD 20084

(CNWDT ONLY ATTN MRS. M. BIRKHEAD CODE 5915.6)

OICY ATTN CODE L42-3 (LIBRARY)

**OFFICER-IN-CHARGE**

NAVAL CIVIL ENGINEERING LABORATORY

PORT HUENEME, CA 93041

OICY ATTN CODE L52 J FCRRFST

OICY ATTN CODE LCPA (LIBRARY)

OICY ATTN CODE L51 J CRAWFORD

OICY ATTN L51 R MLRTHA

**COMMANDER**

NAVAL ELECTRONIC SYSTEMS COMMAND

WASHINGTON, DC 20360

OICY ATTN PME 117-21

COMMANDER  
NAVAL FACILITIES ENGINEERING COMMAND  
WASHINGTON, DC 20390  
OICY ATTN CODE 048

HEADQUARTERS  
NAVAL MATERIAL COMMAND  
WASHINGTON, DC 20360  
OICY ATTN MAT 087-22

COMMANDER  
NAVAL OCEAN SYSTEMS CENTER  
SAN DIEGO, CA 92152  
OICY ATTN CODE 013 E COOPER  
OICY ATTN CODE 4471 (TECH LIB)

SUPERINTENDENT  
NAVAL POSTGRADUATE SCHOOL  
MONTEREY, CA 93943  
(DESIRER NC CNHIC DOCUMENTS)  
OICY ATTN CODE 1424 LIBRARY  
OICY ATTN G LINDSAY

COMMANDING OFFICER  
NAVAL RESEARCH LABORATORY  
WASHINGTON, DC 20375  
(RD & RD/N ATTN CODE 1221 FOR & FPD ATTN CODE 2628 FOR)  
OICY ATTN CODE 4040 J BORTS  
20CY ATTN CODE 2627 (TECH LIB)  
100CY ATTN CODE 4C4G C BORK

COMMANDER  
NAVAL SEA SYSTEMS COMMAND  
WASHINGTON, DC 20362  
OICY ATTN SEA-09G53 (LIP)  
OICY ATTN SEA-0351

OFFICER IN CHARGE  
NAVAL SURFACE WEAPONS CENTER  
WHITE OAK LABORATORY  
SILVER SPRING, MD 20910  
OICY ATTN P44 H GLAZ  
OICY ATTN CODE F31  
OICY ATTN CODE Y211 (TECH LIB)

COMMANDER  
NAVAL SURFACE WEAPONS CENTER  
DAHLGREN, VA 22449  
OICY ATTN TECH LIBRARY & INFO SVCS BR

PRESIDENT  
NAVAL WAR COLLEGE  
NEWPORT, RI 02840  
OICY ATTN CODE E-11 (TECH SERVICE)

COMMANDER  
NAVAL WEAPONS CENTER  
CHINA LAKE, CA 93555  
OICY ATTN CODE 3201 P CIRCLE  
OICY ATTN CODE 266 C AUSTIN  
OICY ATTN CODE 223 (TECH LIB)

COMMANDING OFFICER  
NAVAL WEAPONS EVALUATION FACILITY  
KIRTLAND AIR FORCE BASE  
ALBUQUERQUE, NM 87117  
OICY ATTN R HUGHES  
OICY ATTN CODE 1C (TECH LIB)

OFFICE OF NAVAL RESEARCH  
ARLINGTON, VA 22217  
OICY ATTN CODE 474 N PERRONE

OFFICE OF THE CHIEF OF NAVAL OPERATIONS  
WASHINGTON, DC 20350  
OICY ATTN OP SRL  
OICY ATTN OP OREG

DIRECTOR  
STRATEGIC SYSTEMS PROJECT OFFICE  
DEPARTMENT OF THE NAVY  
WASHINGTON, DC 20376  
OICY ATTN NSP-272  
OICY ATTN NSP-42 (TECH LIB)

AIR FORCE GEOPHYSICS LABORATORY  
HANSCOM AFB, MA 01731  
OICY ATTN LWW K THOMPSON

AIR FORCE INSTITUTE OF TECHNOLOGY  
AIR UNIVERSITY  
WRIGHT-PATTERSON AFB, OH 45433  
(DOES NOT DESIPE CLASSIFIED DOCUMENTS)  
OICY ATTN LIBRARY

HEADQUARTERS  
AIR FORCE SYSTEMS COMMAND  
ANDREWS AFB, DC 20334  
OICY ATTN DLWM  
OICY ATTN DLW

AIR FORCE WEAPONS LABORATORY, AFSC  
KIRTLAND AFB, NM 87117

OICY ATTN NTES-C R HENNY  
OICY ATTN NTED-I  
OICY ATTN NTED R MATALUCCI  
OICY ATTN NTF M PLAMCNOON  
OICY ATTN NT D PAYTON  
OICY ATTN NTED-A  
OICY ATTN NTES-G  
OICY ATTN SUL  
OICY ATTN DEY  
OICY ATTN NTES-S  
OICY ATTN NTFC  
OICY ATTN DEY

DIRECTOR

AIR UNIVERSITY LIBRARY  
DEPARTMENT OF THE AIR FORCE  
MAXWELL AFB, AL 36112  
(DESIRFS NC CNWDI)

OICY ATTN AUL-LSE

ASSISTANT CHIEF OF STAFF  
INTELLIGENCE  
DEPARTMENT OF THE AIR FORCE  
WASHINGTON, DC 20330  
OICY ATTN IN RM 4A932

ASSISTANT CHIEF OF STAFF  
STUDIES & ANALYSES  
DEPARTMENT OF THE AIR FORCE  
WASHINGTON, DC 20330  
OICY ATTN AF/SAMI (TECH LIB)

ASSISTANT SECRETARY OF THE AF  
RESEARCH, DEVELOPMENT & LOGISTICS  
DEPARTMENT OF THE AIR FORCE  
WASHINGTON, DC 20330  
OICY ATTN SAFALR/CEP FOR STRAT & SPACE SYS

BALLISTIC MISSILE OFFICE/IN  
AIR FORCE SYSTEMS COMMAND  
NORTON AFB, CA 92409  
(MINUTEMAN)

OICY ATTN MNXH G KALANSKY  
OICY ATTN MNXH M CELVECCHIO  
OICY ATTN MNH W CRABTREE  
OICY ATTN MNXH D GAGE  
OICY ATTN MNX

DEPUTY CHIEF OF STAFF  
RESEARCH, DEVELOPMENT, & ACQ  
DEPARTMENT OF THE AIR FORCE  
WASHINGTON, DC 20330  
OICY ATTN AFDDOI N ALEXANDROW  
OICY ATTN AFDDPN  
OICY ATTN AFDDQI

DEPUTY CHIEF OF STAFF  
LOGISTICS & ENGINEERING  
DEPARTMENT OF THE AIR FORCE  
WASHINGTON, DC 20330  
OICY ATTN LEFF

COMMANDER  
FOREIGN TECHNOLOGY DIVISION, AFSC  
WRIGHT-PATTEPSON AFB, OH 45433  
OICY ATTN NITS LIBRARY

COMMANDER  
ROWE AIR DEVELOPMENT CENTER, AFSC  
GRIFFISS AFB, NY 13441  
(CESIRFS NC CNDT)  
OICY ATTN TSLO

STRATEGIC AIR COMMAND  
DEPARTMENT OF THE AIR FORCE  
OFFUTT AFB, NB 68113  
OICY ATTN NRI-STINFO LIBRARY  
OICY ATTN XPFS  
OICY ATTN INT J MCKINNEY

VELA SEISMOLOGICAL CENTER  
312 MONTGOMERY STREET  
ALEXANDRIA, VA 22314  
OICY ATTN G ULLPICH

DEPARTMENT OF ENERGY  
ALBUQUERQUE OPERATIONS OFFICE  
P O BOX 5400  
ALBUQUERQUE, NM 87115  
OICY ATTN CTID

DEPARTMENT OF ENERGY  
WASHINGTON, DC 20545  
OICY ATTN CHA/RD&T

DEPARTMENT OF ENERGY  
NEVADA OPERATIONS OFFICE  
P O BOX 14100  
LAS VEGAS, NV 89114  
OICY ATTN MAIL & RECORDS FOR TECHNICAL LIBRARY

LAWPENCF LIVERMORE NATIONAL LAB

P O BOX 808

LIVERMORE, CA 94550

O1CY ATTN L-90 R DCMG

O1CY ATTN L-205 J HEARST (CLASS L-203)

O1CY ATTN L-90 D MCPRIIS (CLASS L-504)

O1CY ATTN L-7 J KAHN

O1CY ATTN D GLENN

O1CY ATTN L 437 R SCHICK

O1CY ATTN TECHNICAL INFO DEPT. LIBRARY

O1CY ATTN L-200 T BLTKOVICH

LOS ALAMOS NATIONAL SCIENTIFIC LAB

MAIL STATION 5000

P O BOX 1663

LOS ALAMOS, NM 87545

(CLASSIFIED ONLY TO MAIL STATION 5000)

O1CY ATTN R WHITTAKER

O1CY ATTN C KELLER

O1CY ATTN M T SANFORD

O1CY ATTN MS 364 (CLASS REPORTS LIB)

O1CY ATTN E JONES

LOVELACE BIOMEDICAL &  
ENVIRONMENTAL RSCH INSTITUTE, INC.

P O BOX 5890

ALBUQUERQUE, NM 87115

O1CY ATTN P JONES (UNCL ONLY)

OAK RIDGE NATIONAL LABORATORY

NUCLEAR DIVISION

X-10 LAB RECORDS DIVISION

P O BOX X

OAK RIDGE, TN 37830

O1CY ATTN CIVIL DEF RES PROJ

O1CY ATTN CENTRAL RSCH LIBRARY

SANDIA LABORATORIES

LIVERMORE LABORATORY

P O BOX 969

LIVERMORE, CA 94550

O1CY ATTN LIBRARY & SECURITY CLASSIFICATION DIV.

SANDIA NATIONAL LAB

P O BOX 5800

ALBUQUERQUE, NM 87195

((ALL CLASS ATTN SEC CONTROL OFC FOR))

OICY ATTN A CHARAN

OICY ATTN L HILL

OICY ATTN OPG 1250 W BROWN

OICY ATTN A CHABIA

OICY ATTN W PCHERTY

OICY ATTN 3141

OICY ATTN L VORTMAN

OICY ATTN J BENISTER

CENTRAL INTELLIGENCE AGENCY

WASHINGTON, DC 20505

OICY ATTN OSWP/NED

DEPARTMENT OF THE INTERIOR

BUREAU OF MINES

BLDG 20, DENVER FEDERAL CENTER

DENVER, CO 80225

((UNCL CNLY))

OICY ATTN TECH LIP (UNCL CNLY)

DIRECTOR

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL SEC OFC MITIGATION & RSCH

1725 I STREET, NW

WASHINGTON, DC 20472

((ALL CLASS ATTN B1C5 DCC CCNTROL FCR))

OICY ATTN MITIGATION & RSCH DIV

ACUPEX CORP.

495 CLYDE AVENUE

MOUNTAIN VIEW, CA 94042

OICY ATTN C WOLF

AEROSPACE CORP.

P O BOX 92957

LOS ANGELES, CA 90009

OICY ATTN H MIRELS

OICY ATTN TECHNICAL INFORMATION SERVICES

AGBABIAN ASSOCIATES

250 N NASH STREET

EL SEGUNDO, CA 90245

OICY ATTN M AGBABIAN

ANALYTIC SERVICES, INC.

400 ARMY-NAVY DRIVE

ARLINGTON, VA 22202

OICY ATTN G HESSFLBACHER

APPLIED RESEARCH ASSOCIATES, INC  
2601 WYOMING BLVD NE SUITE F-1  
ALBUQUERQUE, NM 87112  
OICY ATTN J FRATTEN  
OICY ATTN M HIGGINS

APPLIED THEORY, INC.  
1010 WESTWOOD BLVD  
LOS ANGELES, CA 90024  
(2 CYS IF UNCLASS OR 1 CY IF CLASS)  
OICY ATTN J TRULIO

APTEC ASSOCIATES, INC.  
26046 EDEN LANDING ROAD  
HAYWARD, CA 94545  
OICY ATTN S GILL

ASTRON RESEARCH & ENGINEERING  
1901 OLD MIDDLEFIELD WAY #15  
MOUNTAIN VIEW, CA 94043  
OICY ATTN J HUNTINGTON

AVCO RESEARCH & SYSTEMS GROUP  
201 LOWELL STREET  
WILMINGTON, MA 01887  
OICY ATTN LIBRARY AF30

BDM CORP.  
7915 JONES BRANCH DRIVE  
MCLEAN, VA 22102  
OICY ATTN A LAVAGNINI  
OICY ATTN T NEIGHBORS  
OICY ATTN CORPORATE LIBRARY

BDM CORP.  
P O BOX 9274  
ALBUQUERQUE, NM 87119  
OICY ATTN R HENSLEY

BOEING CO.  
P O BOX 3707  
SEATTLE, WA 98124  
OICY ATTN S STRACK  
OICY ATTN AFROSPACE LIBRARY  
OICY ATTN M/S 42/37 R CARLSON

CALIFORNIA RESEARCH & TECHNOLOGY, INC.  
6269 VARTEL AVENUE  
WOODLAND HILLS, CA 91367  
OICY ATTN LIBRARY  
OICY ATTN K KREYENHAGEN  
OICY ATTN M ROSENBLATT

CALIFORNIA RESEARCH & TECHNOLOGY, INC.  
4049 FIRST STREET  
LIVERMORE, CA 94550  
OICY ATTN D PRPHAL

CALSPAN CORP.  
P O BOX 400  
BUFFALO, NY 14225  
OICY ATTN LIBRARY

DENVER, UNIVERSITY OF  
COLORADO SEMINARY  
DENVER RESEARCH INSTITUTE  
P O BOX 10127  
DENVER, CO 80210  
(ONLY 1 COPY OF CLASS RPTS)  
OICY ATTN SEC OFFICER FOR J WISOTSKI

EEGEG WASH. ANALYTICAL SVCS CTR, INC.  
P O BOX 10218  
ALBUQUERQUE, NM 87114  
OICY ATTN LIBRARY

ERIC H. WANG  
CIVIL ENGINEERING PSCH FAC  
UNIVERSITY OF NEW MEXICO  
UNIVERSITY STATION  
P O BOX 25  
ALBUQUERQUE, NM 87131  
OICY ATTN J LAMB  
OICY ATTN P LODE  
OICY ATTN N RAUM  
OICY ATTN J KOVARNA

GARD, INC.  
7449 N NATCHEZ AVENUE  
NILES, IL 60648  
OICY ATTN G NEIDHARDT (UNCL ONLY)

GENERAL ELECTRIC CO.  
SPACE DIVISION  
VALLEY FORGE SPACE CENTER  
P O BOX 8555  
PHILADELPHIA, PA 19101  
OICY ATTN M BOPTNEP

GENERAL RESEARCH CORP.  
SANTA BARBARA DIVISION  
P O BOX 6770  
SANTA BARBARA, CA 93111  
OICY ATTN TIO

H-TECH LABS, INC.  
P O BOX 1686  
SANTA MONICA, CA 90406  
OICY ATTN B HARTENBAUM

HORIZONS TECHNOLOGY, INC.  
7830 CLAIPEMONT MESA BLVD  
SAN DIEGO, CA 92111  
OICY ATTN R KRUGER

IIT RESEARCH INSTITUTE  
10 W 35TH STREET  
CHICAGO, IL 60616  
OICY ATTN R WELCH  
OICY ATTN M JOHNSON  
OICY ATTN DOCUMENTS LIBRARY

INFORMATION SCIENCE, INC.  
123 W PADDEE STREET  
SANTA BARBARA, CA 93105  
OICY ATTN W DUZIAK

INSTITUTE FOR DEFENSE ANALYSES  
400 ARMY-NAVY DRIVE  
ARLINGTON, VA 22202  
OICY ATTN CLASSIFIED LIBRARY

J D HALIWANGER CONSULT ENG SVCS  
RM 1064 CIVIL ENGINEERING BLDG  
208 N ROMINE STREET  
URBANA, IL 61801  
OICY ATTN W HALL

J. H. WIGGINS CO., INC.  
1650 S PACIFIC COAST HIGHWAY  
REDONDO BEACH, CA 90277  
OICY ATTN J COLLINS

KAMAN AVIDYNF  
83 SECOND AVENUE  
NORTHWEST INDUSTRIAL PARK  
BURLINGTON, MA 01803  
OICY ATTN P PLEHENIK  
OICY ATTN LIBRARY  
OICY ATTN N HOBBS  
OICY ATTN E CRISCIONE

KAMAN SCIFNCS CORP.  
P O BOX 7463  
COLORADO SPRINGS, CO 80933  
OICY ATTN D SACHS  
OICY ATTN F SHELTON  
OICY ATTN LIBRARY

KAMAN TEMPO  
816 STATE STREET (P O DRAWER 00)  
SANTA BARBARA, CA 93102  
OICY ATTN DASIA

LOCKHEED MISSILES & SPACE CO., INC.  
P O BOX 504  
SUNNYVALE, CA 94086  
OICY ATTN J WEISNER  
OICY ATTN TIC-LIBRARY

MARTIN MARIETTA CORP.  
P O BOX 5837  
ORLANDO, FL 32855  
OICY ATTN G FCTIFC

MARTIN MARIETTA CORP.  
P O BOX 179  
DENVER, CO 80201  
OICY ATTN G FREYER

MCDONNELL DOUGLAS CORP.  
5301 BOLSA AVENUE  
HUNTINGTON BEACH, CA 92647  
OICY ATTN H HERDMAN  
OICY ATTN R HALPRIN  
OICY ATTN D DFAN

MCDONNELL DOUGLAS CORP.  
3955 LAKEWOOD BOULEVARD  
LONG BEACH, CA 90846  
OICY ATTN M POTTER

MERRITT CASES, INC.  
P O BOX 1206  
REDLANDS, CA 92373  
OICY ATTN J MERRITT  
OICY ATTN LIPRARY

METECROLOGY RESEARCH, INC.  
464 W WOODBURY ROAD  
ALTADENA, CA 91001  
OICY ATTN W GREEN

MISSION RESEARCH CORP.  
P O BOX 719  
SANTA BARBARA, CA 93107  
(ALL CLASS: ATTN: SEC OFC FOR)  
OICY ATTN C LONGMIPE  
OICY ATTN G MCCARTCR

PACIFIC-SIERRA RESEARCH CORP.  
1456 CLOVERFIELD BLVD  
SANTA MONICA, CA 90404  
OICY ATTN H BRODE

PACIFIC-SIERRA RESEARCH CORP.  
WASHINGTON OPERATIONS  
1401 WILSON BLVD  
SUITE 1100  
ARLINGTON, VA 22209  
OICY ATTN D GORMLEY

PACIFICA TECHNOLOGY  
P O BOX 149  
DEL MAR, CA 92014  
OICY ATTN R PJCRK  
OICY ATTN G KENT  
OICY ATTN TECH LIBRARY

PATEL ENTERPRISES, INC.  
P O BOX 3531  
HUNTSVILLE, AL 35810  
OICY ATTN M PATEL

PHYSICS INTERNATIONAL CO.  
2700 MERCED STREET  
SAN LEANDRO, CA 94577  
OICY ATTN L PEHRMANN  
OICY ATTN TECHNICAL LIBRARY  
OICY ATTN E MOORE  
OICY ATTN J THOMSEN  
OICY ATTN F SAUER

P S D ASSOCIATES  
P O BOX 9695  
MAPINA DEL REY, CA 90291  
OICY ATTN R PORT  
OICY ATTN A KUHL  
OICY ATTN J LEWIS  
OICY ATTN W WRIGHT  
OICY ATTN J CARPENTER  
OICY ATTN TECHNICAL INFORMATION CENTER

PAND CORP.  
1700 MAIN STREET  
SANTA MONICA, CA 90406  
OICY ATTN C MCW

SCIENCE APPLICATIONS, INC  
RADIATION INSTRUMENTATION DIV  
4615 HAWKINS, NE  
ALBUQUERQUE, NM 87109  
OICY ATTN J DISHEN

SCIENCE APPLICATIONS, INC.  
P O BOX 2351  
LA JOLLA, CA 92038  
OICY ATTN H WILSEN  
OICY ATTN TECHNICAL LIBRARY  
OICY ATTN R SCHLAUG

SCIENCE APPLICATIONS, INC.  
101 CONTINENTAL BLVD  
FL SEGUIN, TX 78145  
OICY ATTN D HOVE

SCIENCE APPLICATIONS, INC.  
2450 WASHINGTON AVENUE  
SAN LEANDRO, CA 94577  
OICY ATTN D BERNSTEIN  
OICY ATTN D MAXWELL

SCIENCE APPLICATIONS, INC.  
P O BOX 1303  
MCLEAN, VA 22102  
OICY ATTN J COCKAYNE  
OICY ATTN B CHAMBERS III  
OICY ATTN M KNASEL  
OICY ATTN W LAYSCH  
OICY ATTN R SIEVERS

SOUTHWEST RESEARCH INSTITUTE  
P O DRAWER 28510  
SAN ANTONIO, TX 78284  
OICY ATTN A WENZEL  
OICY ATTN W BAKER

SRI INTERNATIONAL  
333 FAVENSWOOD AVENUE  
MENLO PARK, CA 94025  
OICY ATTN G APRAHAMIAN  
OICY ATTN LIBRARY  
OICY ATTN J COLTON

SYSTEMS, SCIENCE & SOFTWARE INC.  
P O BOX 8243  
ALBUQUERQUE NM 87198  
OICY ATTN C NEEDHAM

SYSTEMS, SCIENCE & SOFTWARE, INC.

P O BOX 1620

LA JOLLA, CA 92038

OICY ATTN J BARTHEL  
OICY ATTN T RINFY  
OICY ATTN D GRINE  
OICY ATTN LIBRARY  
OICY ATTN C HASTING  
OICY ATTN K PYATT  
OICY ATTN C DISMUKES  
OICY ATTN T CHERRY

SYSTEMS, SCIENCE & SOFTWARE, INC.

1100 SUNRISE VALLEY DRIVE

RESTON, VA 22091

OICY ATTN J MURPHY

TELEDYNE DOWNTOWN ENGINEERING

CUMMING'S RESEARCH PARK

HUNTSVILLE, AL 35807

OICY ATTN J RAVENSCRAFT  
OICY ATTN J MCSWAIN

TERPA TEK, INC.

420 WAKARA WAY

SALT LAKE CITY, UT 84108

OICY ATTN A ABOU-SAYED

OICY ATTN LIBRARY

OICY ATTN A JONES

OICY ATTN S GREEN

TETRA TECH, INC.

630 N POSEMEAD BLVD

PASADENA, CA 91107

OICY ATTN L HWANG

TRW DEFENSE & SPACE SYS GROUP

ONE SPACE PARK

REDONDO BEACH, CA 90278

OICY ATTN N LIPNER

OICY ATTN TECHNICAL INFORMATION CENTER

OICY ATTN T MAZZOLA

TRW DEFENSE & SPACE SYS GROUP

P O BOX 1310

SAN BERNARDINO, CA 92402

OICY ATTN G HULCHEP

OICY ATTN P DAI

OICY ATTN E WCNG

UNIVPSAL ANALYTICS, INC.  
7740 W MANCHESTER BLVD  
PLAYA DEL REY, CA 90291  
OICY ATTN E FIELD

WEIDLINGER ASSOC., CONSULTING ENGINEERS  
110 E 59TH STREET  
NEW YORK, NY 10022  
OICY ATTN I SANDLER  
OICY ATTN M PARON

WEIDLINGER ASSOC., CONSULTING ENGINEERS  
3000 SAND HILL ROAD  
MENLO PARK, CA 94025  
OICY ATTN J ISENBERG